


PRODUCT

4MEGATECH

BULK TACT SWITCHES

TP1101



1. Contact : Mechanical Contact
2. Contact Resistance : 100m Ω Max
3. Rating : DC 12V, 50mA
4. Travel : 0.25 +0.2m/m -0.1m/m
5. Operating Force :
160 \pm 30gf, 260 \pm 50gf
6. Life : 10,000 Cycle Min

Drawing View

Model No.	TP1101	TP1101A	TP1101B	TP1101C	TP1101D	TP1101E	TP1101F	TP1101G	TP1101J
L	4.3	5.0	9.5	8.0	13.0	7.3	8.5	7.0	17.0
Stem Color	Black	Black	Black	White	Black	Ivory	Gray	Black	Black

TP1102




1. Contact : Mechanical Contact
2. Contact Resistance : 100m Ω Max
3. Rating : DC 12V, 50mA
4. Travel : 0.25 +0.2m/m -0.1m/m
5. Operating Force :
160 \pm 30gf, 260 \pm 50gf
6. Life : 100,000 Cycle Min

Drawing View


Model No.	TP1102	TP1102A	TP1102B	TP1102C	TP1102D	TP1102E	TP1102F	TP1102G	TP1102J
L	4.3	5.0	9.5	8.0	13.0	7.3	8.5	7.0	17.0
Stem Color	Black	Black	Black	White	Black	Ivory	Gray	Black	Black

1. Contact : Mechanical Contact
2. Contact Resistance : $100m\Omega$ Max
3. Rating : DC 12V, 50mA
4. Travel : 0.25 +0.2m/m -0.1m/m
5. Operating Force :
160±30gf, 260±50gf,
6. Life : 100,000 Cycle Min



Model No	D	Color
TP1103	2.4	Blue
TP1103A	2.8	Black

Drawing View



1. Contact : Mechanical Contact
2. Contact Resistance : $100m\Omega$ Max
3. Rating : DC 12V, 50mA
4. Travel : 0.25 +0.2m/m -0.1m/m
5. Operating Force :
160±30gf, 260±50gf
6. Life : 100,000 Cycle Min

Drawing View

Model No.	TP1105	TP1105A	TP1105B	TP1105C	TP1105D	TP1105E	TP1105F	TP1105G	TP1105J
L	3.15	3.85	8.35	6.85	11.85	6.15	7.35	5.85	15.85
Stem Color	Black	Black	Black	White	Black	Ivory	Gray	Black	Black

1. Contact : Mechanical Contact
2. Contact Resistance : $100m\Omega$ Max
3. Rating : DC 12V, 50mA

